



SceneSwitch LEDspot

LED SSW 50W GU10 WW-CW 36D ND 1BC/6

Some situations call for cool light, others benefit from the ambiance of a warm cozy glow. With Philips SceneSwitch LEDspot, you can have different light settings from just one spot. And you don't need a dimmer! Optimize your lighting for relaxing, hobbies, recreation or working. Simply at the flick of a switch. And that's your existing switch! No extra installation is required.

Product data


General Information			
Cap-Base	GU10 [GU10]	Lamp Current (Nom)	38 mA
Nominal lifetime	15,000 hour(s)	Wattage Equivalent	50 W
Switching Cycle	50,000	Starting Time (Nom)	0.4 s
Rated Lifetime (Hours)	15,000 hour(s)	Warm-up time to 60% light	0.5 s
Lighting Technology	LED	Power Factor (Fraction)	0.5
EU RoHS compliant	Yes	Voltage (Nom)	220-240 V
Light Technical		Temperature	
Color Code	827/840 [CCT of 2700K/4000K]	T-Case Maximum (Nom)	85 °C
Beam Angle (Nom)	36 degree(s)	Controls and Dimming	
Luminous Flux	385 lm	Dimmable	No
Color Designation	Warm White/Cool White	Mechanical and Housing	
Luminous Efficacy (rated) (Nom)	90.00 lm/W	Bulb Shape	PAR16 [PAR 2 inch/50mm]
Color Consistency	<6	Approval and Application	
Color rendering index (CRI)	80	Suitable For Accent Lighting	Yes
LLMF At End Of Nominal Lifetime (Nom)	70 %	Energy Consumption kWh/1000 h	5 kWh
Operating and Electrical		EyeComfort	Yes
Line Frequency	50 to 60 Hz		
Input Frequency	50 to 60 Hz		
Power Consumption	5 W		

SceneSwitch LEDspot

Product Data	
Order product name	LED SSW 50W GU10 WW-CW 36D ND 1BC/6
Full product name	LED SSW 50W GU10 WW-CW 36D ND 1BC/6
Full product code	871869681087300
Order code	929001894501
Material Nr. (12NC)	929001894501


Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718696810873
Numerator - Packs per outer box	6
EAN/UPC - Case	8718696810880

Dimensional drawing




Product	D	C
LED SSW 50W GU10 WW-CW 36D ND 1BC/6	50 mm	54 mm

Photometric data




Accent Lighting Spots - LED SSW 50W GU10 WW-CW 36D ND 1BC/6

Light Distribution Diagram - LED SSW 50W GU10 WW-CW 36D ND 1BC/6



Spectral Power Distribution Colour - LED SSW 50W GU10 WW-CW 36D ND 1BC/6

Lifetime



Lumen Maintenance Diagram - LED SSW 50W GU10 WW-CW 36D ND 1BC/6

Life Expectancy Diagram - LED SSW 50W GU10 WW-CW 36D ND 1BC/6

